

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 11-333195
(43)Date of publication of application : 07. 12. 1999

(51)Int. Cl.

D06F 57/00


(21)Application number : 10-164200 (71)Applicant : KAWADA HIROSHI
(22)Date of filing : 27. 05. 1998 (72)Inventor : KAWADA HIROSHI

(54) LAUNDRY HANGER COVER

(57)Abstract:

PROBLEM TO BE SOLVED: To hide clothes from the public, prevent clothes from being stolen, prevent insects from settling on clothes, and prevent clothes from falling down in the case of hanging clothes.

SOLUTION: This laundry hanger cover is enabled to be opened or closed by using fastening string through the periphery of the upper opening of a mesh bag so as to be able to put the clothes hanger in and out. The mesh bag is provided with the opening with a fastener to put clothes in or out so that the opening should extend longitudinally to the bottom of the mesh bag.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against
examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998, 2003 Japan Patent Office

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] Fasten in the string through section (4) which formed upper limit in the perimeter of upper limit opening (3) of a network cloth bag (1) which carried out the opening possible [receipts and payments of a washing hanger (B)], and a string (5) is inserted in. Wash drying place covering which besides enabled closing motion of edge opening (3), and prepared further washing receipts-and-payments opening (7) which makes it longwise and follows a pars basilaris ossis occipitalis with a fastener (8) in one around a network cloth bag (1).

[Translation done.]

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[The technical field to which invention belongs] When hanging out the washing, such as a women's underwear, to dry, while making it hard to be visible from the outside, it is related with wash drying place covering for preventing a theft, fall, and adhesion of Echiuroidea.

[0002]

[Description of the Prior Art] The surroundings of a washing hanger are covered with covering which consists of **** or plastic film, and variety marketing of what it is made for the washing, such as female underwear, not to appear, or prevents theft prevention or adhesion of pollen, and ***** is carried out.

[0003] As for wash drying place covering of these former, the thing for pollen prevention has many dust protection types, the thing aiming at a bandage has many which covered only the perimeter and opened the vertical edge wide, and the thing for ***** prevention has many which closed upper limit and opened the lower limit wide. What twists a tape around the perimeter of small up opening which a washing hanger hangs and lets a hook pass as a means which closes upper limit, and was closed is indicated. (For example, the utility model registration No. 3029523 official report)

[0004]

[Problem(s) to be Solved by the Invention] The dust where wash drying place covering which carried out the opening of the conventional general vertical edge soared by the strong wind although permeability was excellent tended to adhere, and a women's underwear's etc. being easy to steal and the thing of a dust protection type had the trouble that covered the washing hanger which hung the washing or trouble started removing.

[0005]

[Means for Solving the Problem] in order to solve the above-mentioned trouble, this invention hangs a washing hanger which hung the washing, exposes only a hook, and is SUPPORI **** in a network cloth bag -- it is effective in the washing being unable to take lessons from a public notice, but being able to prevent a theft, scattering, and adhesion of an insect as drying in the condition, and drying especially women's underwears.

[0006]

[Embodiment of the Invention] This invention is wash drying place covering which fastened in the string through section which formed upper limit in the perimeter of upper limit opening of the network cloth bag which carried out the opening possible [receipts and payments of a washing hanger], inserted in the string, enabled closing motion of this upper limit opening, and prepared further washing receipts-and-payments opening which makes it longwise and follows a pars basilaris ossis occipitalis with the fastener in one around a network cloth bag.

[0007]

[Example] If an example is explained with reference to a drawing, drawing 1 inserts the commercial washing hanger B, and upper limit hangs it from the upper limit opening 3 of this invention wash drying place covering A shown in drawing 2, it exposes only a hook, and shows the condition of having

fastened the upper limit opening 3, having lengthened the string 5, and having closed in total.

[0008] The wash drying place covering A around the upper limit opening 3 of the longwise network cloth bag 1 with a bottom 2 If the string through section 4 by which bag sewing was carried out is formed, it fastens in this string through section 4, stops 6 have equipped through and this bundle string 5 with the string 5 and these stops 6 are pinched with 2 fingers If a grip of the bundle string 5 solves, it can move free and pinching is detached, it will be the thing of the one-touch type which can fasten with an interior spring, can hold a string 5, and can be made to fix.

[0009] Moreover, the washing receipts-and-payments opening 7 which makes it longwise and follows a bottom 2 is formed it is large and possible [a opening] with fastener 8 in one around this network cloth bag 1, and in order that the washing may make it hard to be visible [the network cloth bag 1] from the outside, means, such as making a mesh fine, or coloring **** or supposing **** that a pattern is entered, are given.

[0010]

[Effect of the Invention] This invention is carried out with a gestalt which was explained above, and does so an effect which is indicated below.

[0011] Since upper limit opening fastens this invention wash drying place covering and it can be easily opened and closed with a string, wearing on a washing hanger and removal are very easy for it.

[0012] Moreover, even if it is in a strong wind by having made wash drying place covering into the dust protection type, while the washing is not blown away or not falling, adhesion of an insect etc. can be prevented and the theft of the washing can be prevented further.

[0013] Since a network cloth bag is a dust protection type, the washing can be hidden from the public notice, it can be afraid of female underwear etc. and it can be dried that there is nothing.

[0014]

[Translation done.]

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] the condition of having put this invention wash drying place covering on the washing hanger is shown -- it is an excision side elevation a part.

[Drawing 2] It is the whole this invention wash drying place covering perspective diagram.

[Description of Notations]

A Wash drying place covering

B Washing hanger

1 Network Cloth Bag

2 Bottom

3 Upper Limit Opening

4 String through Section

5 Bundle String

6 Stops

7 Washing Receipts-and-Payments Opening

8 Fastener

[Translation done.]


* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.


1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DRAWINGS

[Drawing 1]



[Drawing 2]



[Translation done.]